



# Shree Rama Multi-Tech Limited

An ISO 9001:2015 and ISO 15378:2017 (GMP) Certified Company  
DMF Type III Certified Company



**REGD. OFFICE & FACTORY ADDRESS :** 1557, MOTI-BHOYAN, KALOL-KHATRAJ ROAD, TAL : KALOL,  
DIST. : GANDHINAGAR - 382721 **TELE :** (079) 66747101, 66747102 **EMAIL :** info@srmtl.com  
**WEBSITE :** www.srmtl.com **CIN NO :** L25200GJ1993PLC020880

By E-filing

Date: 18<sup>th</sup> June, 2024

To,  
General Manager Listing  
**BSE Limited**  
Floor 25, P J Towers,  
Dalal Street, Fort,  
Mumbai – 400 001

To,  
General Manager Listing  
**National Stock Exchange of India Limited**  
Exchange Plaza, C-1, Block-G,  
BandraKurla Complex, Bandra (E)  
Mumbai – 400 051

**Script Code: 532310**

**Script Code: SHREERAMA**

**Sub.: Commencement of Commercial Production of Multi-Layer Film Plant (MLFP)**

**Ref.: Disclosure under Regulation 30 read with Schedule III of the SEBI (Listing Obligations and Disclosure Requirements), Regulations, 2015**


Dear Sir,

In continuation to our disclosure vide our letter dated 6th March, 2023 for the investment in form of CAPEX for approx. Rs. 17 Crores for purchase of Multi- Layer film plant, we hereby inform that Multi-Layer Film Plant purchased from Reifenhauer, Germany has been successfully installed at our plant at Moti-Bhoyan, Ta. Kalol. The Company carried out the trial runs as per its standard norms and quality parameters as required and it is complete in all respect to start its production/ operations.

We are pleased to inform that the Company has started its commercial production of MLFP with effect from 18th June, 2024. With the commencement of production of MLFP, the making of Multi layers Films will enhance our quality and reduce our dependency on outside job work and simultaneously will also reduce the inventory as well as lead time for our Laminate customers.

We request to take the above on your record.

Yours faithfully,  
For, **Shree Rama Multi-Tech Limited**



Sandip Mistry  
Company Secretary & Compliance Officer