



Date: January 30, 2025

To,
The Manager
Listing Department
National Stock Exchange of India Limited
Exchange Plaza, Bandra Kurla Complex
Bandra (East),
Mumbai - 400 051
NSE Symbol: DIFFNKG

To,
The Manager
Corporate Relationship Department
BSE Limited
Floor 25, Phiroze Jeejeebhoy Towers,
Dalal Street,
Mumbai - 400 001
BSE Scrip Code - 544264

Dear Sir/Madam,

Sub:- Intimation under Regulation 29 of Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015, for consideration of Un-Audited Financial Results (Standalone and Consolidated) for the quarter and nine months ended December 31, 2024.

Pursuant to Regulation 29 of the Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015 ("Listing regulations"), we hereby inform you that a meeting of the Board of Directors of the Company is scheduled to be held on Friday, February 07, 2025, *inter alia*, to consider, approve and take on record, the Unaudited Financial Results (Standalone and Consolidated) of the Company for the quarter and nine months ended December 31, 2024.

Further, in accordance with the Securities and Exchange Board of India (Prohibition of Insider Trading) Regulations, 2015, the trading window for dealing in securities of the Company which has been closed from Wednesday, January 01, 2025, for all the designated persons and their immediate relatives as defined in the Code, shall re-open after the expiry of 48 hours from the date of declaration of the said financial results.

You are requested to kindly take the same on your record.

Thanking You. Yours faithfully,

For Diffusion Engineers Limited

Chanchal Jaiswal Company Secretary and Compliance Officer Membership no. A67136



DIFFUSION ENGINEERS LIMITED

Regd. Office: T-5 & 6, M.I.D.C., Hingna Industrial Area, Nagpur - 440 016, Maharashtra, INDIA [t] 091-7104-232890, 234727, 236772, CIN: L99999MH2000PLC124154 [e] info@diffusionengineers.com, [w] www.diffusionengineers.com GSTIN: 27AAACD8008L1ZK

180 14001