

Shree Rama Multi-Tech Limited

An ISO 9001:2015 and ISO 15378:2017 (GMP) Certified Company
DMF Type III Certified Company



REGD. OFFICE & FACTORY ADDRESS: 1557, MOTI-BHOYAN, KALOL-KHATRAJ ROAD, TAL: KALOL, DIST.: GANDHINAGAR - 382721 TELE: (079) 66747101, 66747102 EMAIL: info@srmtl.com

WEBSITE: www.srmtl.com CIN NO: L25200GJ1993PLC020880

By E-filing

Date: 15th October, 2024

To, General Manager Listing BSE Limited Floor 25, P J Towers, Dalal Street, Fort, Mumbai – 400 001

To,
General Manager Listing
National Stock Exchange of India Limited
Exchange Plaza, C-1, Block-G,
BandraKurla Complex, Bandra (E)
Mumbai – 400 051

Script Code: 532310

Script Code: SHREERAMA

Sub.: Outcome of Board Meeting dated 15th October, 2024 - Capacity Expansion

Ref.: Reg. 30 and para B of Part A of Schedule III of SEBI (Listing Obligations and

Disclosure Requirements) Reg., 2015

Dear Sir,

We hereby inform that the Board of Directors of the Company at its Meeting held on 15th October, 2024 has approved the Investment in form CAPEX towards Capacity expansion by purchase of Tubing Machines of latest technology to manufacture different size and dimensions of Tubes at a cost of Rs. 18 Crore approximately and to give appropriate authority to take the necessary steps in this regard.

The details, as required under Regulation 30 of the SEBI LODR Regulations, read with SEBI Circular No. SEBI/HO/CFD/CFD-PoD-1/P/CIR/2023/123 dated July 13, 2023 is enclosed as Annexure – I.

The Board meeting commenced at 11:00 a.m. and concluded at 11:35 a.m.

We request to take the above on your record.

Yours faithfully,

For, Shree Rama Multi-Tech Limited

Sandip Mistry
Company Secretary





Shree Rama Multi-Tech Limited

An ISO 9001:2015 and ISO 15378:2017 (GMP) Certified Company
DMF Type III Certified Company



REGD. OFFICE & FACTORY ADDRESS: 1557, MOTI-BHOYAN, KALOL-KHATRAJ ROAD, TAL: KALOL, DIST.: GANDHINAGAR - 382721 TELE: (079) 66747101, 66747102 EMAIL: info@srmtl.com

WEBSITE: www.srmtl.com CIN NO: L25200GJ1993PLC020880

Annexure I

<u>Disclosure of Information under SEBI Circular No. SEBI/HO/CFD/CFD-PoD-1/P/CIR/2023/123 dated July 13, 2023</u>

Sr.	Particulars	Disclosure
No.		
1	Existing Capacity	Operational monthly capacity of 5.00 Crore Tubes
2	Existing Capacity utilization	Fully utilized
3	Proposed Capacity addition	20% of existing capacity (around 95 Lac Tubes per month)
4	Period within which the proposed capacity is to be added	6 months
5	Investment required	Approximately Rs. 18 Crore
6	Mode of financing	Internal Accruals/ Loan from Banks/Financial Institutions
7	Rationale	Having good demand of our products consistently and in order to tap the growing opportunities, expansion is inevitable.

