

Date: 22.09.2021

BSE Limited,  
Listing Department,  
P. J. Towers, Dalal Street,  
Mumbai- 400 001  
Company Code- 541400

Dear Sir,

**Sub: Intimation of Revision in Rating.**

In terms of Regulation 30 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, we hereby inform you that Acuite Ratings & Research Limited ("ACUITE") has revised(upgraded) its ratings on the bank facilities of the Company as follows:

Total Bank Loan Facilities Rated	Rs. 125.50
Long Term Rating	ACUITE BBB-/ Outlook: Stable (Upgraded from ACUITE BB+/Stable)
Short Term Rating	ACUITE A3 (Upgraded from ACUITE A4+)

This is for your information and records.

Thanking you,

Yours faithfully,  
For ZIM LABORATORIES LIMITED



(Piyush Nikhade)  
Company Secretary and Compliance Officer



**ZIM LABORATORIES LIMITED**

[www.zimlab.in](http://www.zimlab.in) | [info@zimlab.in](mailto:info@zimlab.in) | CIN: L99999MH1984PLC032172

Works: B-21,22, MIDC Area, Kalmeshwar - 441501 Dist. Nagpur,  
Maharashtra, India. ☎ +91.7118.271370 | Fax: +91.7118.271470

Regd. office: Sadoday Gyan, (Ground Floor), Opp. NADT, Nelson Square,  
Nagpur -440013. Maharashtra, India. ☎ +91.712.2588070