



# The Indian Hume Pipe Co. Ltd.

Registered Office : Construction House, 5, Walchand Hirachand Road, Ballard Estate, Mumbai - 400 001. INDIA  
Tel. : +91-22-22618091, +91-22-40748181 • Fax : +91-22-22656863 • E-mail : info@indianhumpipe.com • Visit us at : www.indianhumpipe.com  
CIN : L51500MH1926PLC001255

HP/SEC/

19<sup>th</sup> November, 2022

1. BSE Ltd.

Corporate Relationship Department,  
1<sup>st</sup> Floor, New Trading Ring,  
Rotunda Building, P. J. Towers,  
Dalal Street, Fort,  
Mumbai - 400 001

2. National Stock Exchange of India Ltd.

Exchange Plaza, 5<sup>th</sup> floor,  
Plot No. C/1, G Block,  
Bandra-Kurla Complex,  
Bandra (East),  
Mumbai - 400 051

Sub: Regulation 30 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015

Re: Credit Rating for Bank Facilities

Dear Sirs,

This is to inform you that CARE Ratings Limited have reviewed the Company's total Bank Facilities of Rs.1,970 Crores vide their letter No.CARE/HRO/RL/2022-23/1453 dated November 18, 2022 and forwarded to the Company vide email dated 18<sup>th</sup> November, 2022 as detailed below.

Facilities	Amount (Rs. Crores)	Rating <sup>1</sup>	Rating Action
Long Term Bank Facilities	810.00 (Enhanced from 777.50)	CARE BBB+; Stable (Triple B plus; Outlook: Stable)	Revised from CARE A-; Negative (Single A Minus; Outlook : Negative)
Long Term / Short Term Bank Facilities	1,150.00	CARE BBB+; Stable / Care A2 (Triple B Plus Outlook; Stable / A Two)	Revised from CARE A-; Negative / CARE A2 (Single A Minus; Outlook; Negative / A Two )
Short Term Bank Facilities	10.00 (Reduced from 60.00)	CARE A2 (A Two)	Reaffirmed
Total Facilities	1,970.00 (Rs. One Thousand Nine Hundred Seventy Crore Only)		

<sup>1</sup>Complete definitions of the ratings assigned are available at [www.careratings.com](http://www.careratings.com) and in other CARE publications.

Please take the above information on record.

Thanking you,

Yours faithfully,  
For The Indian Hume Pipe Company Limited,



S. M. Mandke  
Company Secretary  
FCS-2723