

Date: **November 5, 2021**

BSE Limited

Phiroze Jeejeebhoy Towers
Dalal Street, Mumbai – 400 001
Scrip Code: 517214

National Stock Exchange of India Limited

Exchange Plaza, Plot No. C/1, G Block
Bandra – Kurla Complex, Bandra (E)
Mumbai – 400 051
Scrip Code: DIGISPICE

Sub.: **Issue of Duplicate Share Certificate under Regulation 39(3) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015**

Dear Sir/Madam,

In continuation to our earlier communication dated October 11, 2021, this is to inform that the Company has issued the duplicate Share Certificate on November 5, 2021. We enclose herewith a letter received from M/s Mas Services Limited, Registrar and Share Transfer Agent of the Company regarding issue of duplicate share certificate.

You are requested to kindly take the above on record.

Thanking you.

Yours faithfully,
For **DiGiSPICE Technologies Limited**

M.R. Bothra
Vice President – Corporate Affairs &
Company Secretary

* MAS SERVICES LIMITED *
*REGD.OFF:-T-34 IIND FLOOR OKHLA INDUSTRIAL AREA *
* PHASE -II NEW DELHI 110020 *
* TEL.:- 011-26387281,7282,7283 FAX:-011-26387384 *
* CIN :- U74899DL1973PLC006950 *

Ref. MAS/MV1

DATE:-05/11/2021

BSE LIMITED
PHIROZE JEEJEEBHOY TOWERS
DALAL STREET MUMBAI
400001

Unit : DIGISPICE TECHNOLOGIES LIMITED (FORMERLY SPICE MOBILITY LIMITED)

SUB:INFORMATION REGARDING ISSUE OF DUPLICATE SHARE CERTIFICATE

Dear Sir,

We have issued following share certificate(s) duplicate on shareholder(s) request detail of the same as following:-

FOLIO NO.	OLD CERT	NEW CERT	NO OF SHARE	DIST FROM	DIST TO	NAME
0047225	110352	139536	50	17523501	17523550	JYOTSNA PARIKH
0047225	110353	139536	50	17523551	17523600	JYOTSNA PARIKH
0047225	110354	139536	50	17523601	17523650	JYOTSNA PARIKH
0047225	110355	139536	50	17523651	17523700	JYOTSNA PARIKH

Yours Truly,

for MAS SERVICES LIMITED



NANAK CHAND PAL (EXTN. 254)

PS: Please quote our reference number in all correspondences.

NATIONAL STOCK EXCHANGE OF INDIA LIMITED
EXCHANGE PLAZA BANDRA KURLA COMPLEX
BANDRA EAST MUMBAI
400051