

Date: 07.11.2022

To,
Department of Corporate Services, **BSE LIMITED**P. J. Towers, Dalal Street,
Mumbai – 400 001.

BSE Scrip Code: 543172

Sub: Non-applicability of Statement for Deviation(s) or Variation(s) under Regulation 32 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015.

Dear Sir/Madam,

Pursuant to Regulation 32 of the Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015 the Company hereby confirms, that there has been no deviation(s) or variation(s) in the use of the Public Issue Proceeds raised from the Initial Public Issue (IPO). Hence, the Statement of Deviation(s) or Variation(s) is not applicable to the Company.

Contact Details:

:+91-22-4012 9990

: www.cel.net.in

:contact@cel.net.in

Tel. No.

Website

E-mail

Kindly take same on your records.

Thanking You,

For, COSPOWER ENGINEERING LIMITED

OSWALD
ROSARIO

BOOLEAN

ROSARIO

DSOUZA

Deptidity signed by CDMALD ROSARD DISOLED Or cold possesses and subsequence of the cold possesses of the cold A ENGINES POR MUMBAIL OF SO THE STATE OF STATE O

OSWALD ROSARIO DSOUZA DIRECTOR

DIN: 02711251

Cospower Engineering Limited