

Date: February 03, 2021

To.

BSE Limited Phiroze Jeejeebhoy Tower, Dalal Street. Mumbai - 400 001 Scrip Code- 532365

National Stock Exchange of India Limited Exchange Plaza, C-1, Block G. Bandra Kurla Complex, Bandra (East), Mumbai — 400051

Symbol - DSSL

Subject: Intimation of Board Meeting to be held on February 12, 2021

With reference to above captioned subject matter and as per provisions of Regulation 29 of SEBI (Listing Obligations and Disclosure Requirements), Regulations, 2015, notice is hereby given that the Meeting of the Board of Directors of the Company will be held on Friday, February 12, 2021, at the Corporate Office of the Company at 3rd Floor, A Wing, Sunteck Centre, Subhash Road, Near Garware Chowk, Vile Parle (East), Mumbai-400057 to consider adoption of Un- Audited Standalone and Consolidated Financial Results of the Company for the quarter ended on December 31,2020.

Further, in continuation of our letter dated 30th December, 2020 and in terms of the Dynacons Systems & Solutions Limited Code of Business Conduct and Code to Regulate, Monitor and Report Trading by Designated Person, the trading window for insiders which is already closed with effect from 1st January, 2021, shall continue to remain closed till 48 (Forty Eight) hours after the dissemination of the un-audited financial results of the Company (both days inclusive) for the quarter ended on 31st December, 2020.

Kindly take the same on your record.

For Dynacons Systems & Solutions Ltd.

Dharmesh Anjaria **Executive Director**

Din: 00445009

Dynacons Systems & Solutions Limited

CIN NO: L72200MH1995PLC093130

Certified ISO 9001:2008, ISO 14001:2015, ISO 20000-1:2011, ISO 27001:2013, CMMI Maturity Level 3

Registered Office: 78, Ratnajyot Industrial Estate, Irla Lane, Vile Parle West, Mumbai - 400 056.

Corporate Office: 3rd Floor, A Wing, Sunteck Centre, Subhash Road, Near Garware Chowk, Vile Parle East, Mumbai - 400 057. 🕿 +91-22-66889900 | 🖷 +91-22-26716641 | 🌐 www.dynacons.com | 💌 sales@dynacons.com | 1860-123-4444







