

March 23, 2023

The National Stock Exchange of India Limited,

Listing Department
Exchange Plaza, NSE Building,
Bandra Kurla Complex,
Bandra East,
Mumbai – 400 051,

BSE Limited

Corporate relationship Department
Phiroze jeejeebhoy Towers
Dalal Street, fort
Mumbai -400 001

NSE Symbol – **HARIOMPIPE**

BSE Scrip Code- **543517**

Subject: -Intimation of Review of Rating under the SEBI (Listing Obligations and Disclosure Requirements) Regulations 2015.

Respected Sir,

This has reference to Regulation 30 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations 2015 (“the Regulations”).

In accordance with the said Regulations, we wish to inform you that the CRISIL Ratings Assigns following rating vide its e-mail dated March 22, 2023, to the company.

Facility	Tenure	Latest Ratings
Fund Based	Long Term	CRISIL A- /Stable (upgraded from ‘CRISIL BBB+/Stable’)
Non-Fund Based	Short Term	CRISIL A2+ (upgraded from ‘CRISIL A2’)

The previous rating as assigned by CRISIL Ratings vide its letter dated April 05 2022 were as follows:

Facility	Tenure	Previous Ratings
Fund Based	Long Term	CRISIL BBB+/Stable
Non-Fund Based	Short Term	CRISIL A2

Kindly take the same on records.

Thanking You,

Yours Truly,

For Hariom Pipe Industries Limited

Chirag Partani

Company Secretary & Compliance Officer

M. No: A51269

HARIOM PIPE INDUSTRIES LIMITED

Registered Office

3-4-174/12/2, 'SAMARPAN' 1st Floor, Lane Beside Spencer's Near Pillar no : 125,
Attapur, Hyderabad - 500048. Toll Free : 1800 123 0360 Phone : 040 24016101
website : hariompipes.com Email : info@hariompipes.com

Factory

Survey No.58 & 63, Sheriguda (V),
Balanagar (M), Mahabubnagar Dist - 509202, Telangana.