Honeywell

Honeywell Automation India Limited CIN: L29299PN1984PLC017951 Regd. Office: 56 & 57, Hadapsar Industrial Estate, Pune - 411 013, Maharashtra Tel: +91 20 7114 8888 E-mail: India.Communications@Honeywell.com Website: https://www.honeywell.com/in/en/hail

March 8, 2022

To The Manager–Compliance Department National Stock Exchange of India Limited 'Exchange Plaza' Bandra Kurla Complex, Bandra (East) Mumbai 400051 NSE Symbol: HONAUT To The Manager – Compliance Department BSE Limited Floor 25, P.J.Tower, Dalal Street Mumbai 400001 BSE Scrip Code: 517174

Dear Sir,

Sub: Regulation 39(3) of the Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015.

Please find enclosed the intimation pursuant to Regulation 39(3) of the Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015, in respect of issue of Duplicate Share Certificate.

The above is for your information and record.

Thanking You,

Yours Sincerely,

For Honeywell Automation India Limited

Farah Irani Company Secretary

Encl: A/a



Date : 07/03/2022

HONEYWELL AUTOMATION INDIA LIMITED 56 & 57 HADAPSAR INDUSTRIAL ESTATE PUNE X X 411013 411013

Dear SIR/MADAM

UNIT : HONEYWELL AUTOMATION INDIA LIMITED

RE : Regulation 39(3) of SEBI (LODR),2015

Please find below mentioned data pertaining to the security for which

Duplicate certificates have been issued.

Folio No	Issue Date		New Certificate		Distinctive nos From	Distinctive nos To
HWN0010073	07-03-2022	NISHA SAWHNEY	31055	45	5006007	5006051

Thanking you,

Yours faithfully, For TSR Darashaw Consultants Private Limited Sd/- Nehdle NEHA KOYANDE

[External] Regulation 39(3) of SEBI(LODR), 2015					
Duplicatedata <duplicatedata@tcplindia.co.in> To ●Irani, Farah Cc ○ nnair@tcplindia.co.in; ○ kula@tcplindia.co.in; ○ dtambe@tcplindia.co.in Retention Pelicy: Global - Delete in 6 months (6 months) ① Follow up. Start by Tuesday, March 8.2022. Due by Tuesday, March 8.2022. You forwarded this message on 08-Mar-22.206 PM.</duplicatedata@tcplindia.co.in>	Expires 03-Sep-22	S Reply	(5) Reply All	→ Forward Mon 07-Mar-22	4:31 PM
Honeywell Automation India Limited_Regulation39(3).pdf 359 KB					
CAUTION: This email originated from outside of the organization. Do not click links or o	open attachments unless you recognize the	sender and know the con	tent is safe.		
Dear Madam,					
Please find attached the details pertaining to Issue of Duplicate Share Certificates which is to be COMPLIANCE>REG 39(3) LOSS OF SHARE CERTIFICATES AND ISSUE OF THE DUPLICATE CERTIFICA		lation 39(3) of SEBI(LODR),	2015 under NEA	APS>	

The same is to be uploaded(NSE/BSE) within 48 hours from the receipt of information.

Regards,

Neha Koyande

DISCLAIMER: This e-mail contains PRIVILEGED AND CONFIDENTIAL INFORMATION intended solely for the use of the addressee(s). If you are not the intended recipient, please notify the sender by e-mail and delete the original message. Further, you are not to copy, disclose, or distribute this e-mail or its contents to any other person and any such actions are unlawful. This e-mail may contain viruses. TSR Darashaw Consultants Private Limited has taken every reasonable precaution to minimize this risk, but is not liable for any damage you may sustain as a result of any virus in this e-mail. You should carry out your own virus checks before opening the e-mail or attachment. TSR Darashaw Consultants Private Limited reserves the right to monitor and review the content of all messages sent