

Date: 5th September, 2019

Ref: TRIL/SECT/2019-20/NSE-BSE/COMPL/24

To, The Secretary BSE Limited Phiroze Jeejeebhoy Towers, Dalal Street, Mumbai - 400 001 Security Code : 532928	To, The Secretary National Stock Exchange of India Limited . Exchange Plaza, C-1, Block G, Bandra - Kurla Complex, Bandra (E), Mumbai - 400 051 Trading Symbol : TRIL
---	--

Dear Sir/Madam,

Sub: Credit rating for Bank facilities

With reference to the captioned subject, pursuant to Regulations 30 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, this is to inform you that Credit Analysis and Research Limited (CARE Ratings) has reaffirmed Credit rating for Bank Facilities of the Company as follows:

Bank Facilities	Amount (Rs. Crore)	Rating	Remarks
Long Term	40.50	CARE BBB+; Stable (Triple B Plus; Outlook: Stable)	Reaffirmed
Short Term	150.00	CARE A3+ (A Three Plus)	Reaffirmed
Long Term /Short Term	925.00	CARE BBB+;-; Stable/ CARE A3+ (Triple B Plus; Outlook: Stable/A Three Plus)	Reaffirmed

Please take the same on your record.

Thanking you,

**Yours faithfully,
For Transformers and Rectifiers (India) Limited**

R. D. Kiri
**Rakesh Kiri
Company Secretary**

