## HI- TECH WINDING SYSTEMS LIMITED

CIN: L22122GJ1988PLC010503

REG. OFFICE: 08 / GOKUL COMPLEX, OPP. NAGRI HOSPITAL, GUJARAT COLLEGE ROAD,

ELLISBRIDGE AHMEDABAD 380006

Email: -hitechwindingsystemslimited@gmail.com Contact No.: +91 - 70432 30374

Date: 23.08.2022

To,
Department of Corporate Services
The Bombay Stock Exchange Ltd.
P.J. Towers,
Dalal Street, Fort,
Bombay- 400 001

Dear Sir,

## <u>Sub.</u>: Outcome of board meeting as per Regulation 30 of SEBI (LODR) Regulations, 2015.

**Ref: Scrip Code: -541627** 

Kindly acknowledge that the board meeting was held today at the registered office of the company at 02.00 PM. The following is the outcome of the said meeting:

- 1. To call the Annual general meeting of the company on 21.09.2022 at 01.00 P.M. at the registered office of the company.
- 2. To approve the Directors Report along with the Annual Report of the company for the F.Y. ended 31.03.2022.
- 3. Register of Members and share transfer books will remain closed from 14.09.2022 to 21.09.2022 for the purpose of Annual General Meeting.
- 4. To provide e- voting facilities to the shareholders for the purpose of annual general meeting of the company which will be held on 21<sup>st</sup> September, 2022. E-voting facilities will be start from 18.09.2022, 11:00 a.m. to 20.09.2022, 05:00 p.m.
- 5. To appoint M/s. Gaurang Vora & Associates as a Statutory Auditor of the company for the period of five years.
- 6. To appoint Mrs. Khushbu Trivedi, practicing company secretary as scrutinizer for the Annual General Meeting.

## HI- TECH WINDING SYSTEMS LIMITED

CIN: L22122GJ1988PLC010503

REG. OFFICE: 08 / GOKUL COMPLEX, OPP. NAGRI HOSPITAL, GUJARAT COLLEGE ROAD,

ELLISBRIDGE AHMEDABAD 380006

Email: <a href="mailto:-hitechwindingsystemslimited@gmail.com">-hitechwindingsystemslimited@gmail.com</a> Contact No.: <a href="mailto:+91-7043230374">+91-7043230374</a>

Please kindly take into your records.

Thanking You,

Yours faithfully,

FOR, HI-TECH WINDING SYSTEMS LIMITED

CHANDU BHAI VAGHELA

DIRECTOR DIN: 05197958