

Date: 17/02/2023

To, The Bombay Stock Exchange Corporate Relationship Department, Ground floor, P J Tower, Dalal Street, Fort, Mumbai – 400001 Scrip Code: 505358

Sub: Information regarding loss of share certificates

Dear Sir/Madam,

Pursuant to Regulation 39(3) and all other applicable regulations, if any, of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, we would like to inform you that our Registrar and Transfer Agent (RTA) i.e., Link Intime India Private Limited has received information from shareholder on 16th February 2023 included in the Annexure A regarding loss of share certificate.

As required under SEBI Circular No. SEBI / HO / MIRSD / MIRSD_RTAMB / P / CIR /2022/8 dated January 25, 2022, the Company shall issue 'Letter of Confirmation' to the shareholder after compliance of required formalities.

Please take the same on record.

Thanking you,

For Integra Engineering India Limited

Harneetkaur Anand Company Secretary Encl.: As above



Integra Engineering India Limited

Registered Office & Works Unit -I : Post Box No. 55, Chandrapura Village, Tal. : Halol - 389 350. Dist. Panchmahals, Gujarat, India Phone: +9I-2676-221870, 90999 18471, Fax:+9I-2676-220887 Works Unit -II : Halol-Champaner Road, P.O. Chandrapura, Tal. : Halol - 391 520. Dist. Panchmahals, Gujarat, Indiah&ne:+9I-99240 9926 www.integraengineering.in E-mail :info@integraengineering.in CIN : L29199GJ1981PLC028741



Annexure A

Sr. No.	Shareholder Name	No.	Share Certificate No.	Shares	Distinctive No. (From)	Distinctive No. (To)
1	Swapna Mitra	S02476	15080	350	2573372	2573721

#

Integra Engineering India Limited

Registered Office & Works Unit - I : Post Box No. 55, Chandrapura Village, Tal. : Halol - 389 350. Dist. Panchmahals, Gujarat, India Phone: +91-2676-221870, 90999 18471, Fax:+91-2676-220887 Works Unit -II : Halol-Champaner Road, P.O. Chandrapura, Tal. : Halol - 391 520. Dist. Panchmahals, Gujarat, IndiahDne:+91-99240 9926 www.integraengineering.in E-mail :info@integraengineering.in CIN : L29199GJ1981PLC028741