



Aspira Pathlab & Diagnostics Limited

Regd. Office: Flat No. 2, R D Shah Building, Shraddhanand Road,
Opp. Railway Station, Ghatkopar (W), Mumbai 400 086
CIN:L85100MH1973PLC289209

July 10, 2021

To,
The Department of Corporate Services,
Bombay Stock Exchange Limited,
Phiroze Jeejeebhoy Towers,
Dalal Street,
Mumbai - 400001.

Through: BSE Listing Centre

Scrip Code: 540788, Security ID: ASPIRA

Dear Sir/Madam,

Sub: Extension of Scope of NABL Accreditation

Pursuant to Regulation 30 and Schedule III of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, please find enclosed extended scope of Accreditation received from National Accreditation Board for Testing and Calibration Laboratories in the field of medical testing, now including permission for conducting Covid-19 RTPCR test at Navi Mumbai, Maharashtra.

This is for your information and records.

Thanking You.

Yours faithfully

For Aspira Pathlab & Diagnostics Limited

Nikunj Mange
Executive Director
DIN: 08489442

Encl: As above



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	ASPIRA PATHLAB AND DIAGNOSTICS LTD, R D SHAH BUILDING, GHATKOPAR (W), MUMBAI, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2447	Page No	1 of 8
Validity	15/11/2019 to 14/11/2021	Last Amended on	03/07/2021

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
LOCATION 1-R D SHAH BUILDING, GHATKOPAR (W), MUMBAI, MAHARASHTRA, INDIA Permanent Facility				
1	CLINICAL BIOCHEMISTRY	EDTA Whole Blood	Glyco Hb(HbA1C)	HPLC
2	CLINICAL BIOCHEMISTRY	Fluoride plasma	Glucose	Hexokinase
3	CLINICAL BIOCHEMISTRY	Serum	AFP	CLIA
4	CLINICAL BIOCHEMISTRY	Serum	Albumin	Bromcresol Purple (BCP)
5	CLINICAL BIOCHEMISTRY	Serum	Alkaline Phosphatase	PNPP,AMP Buffer ,IFCC 37degree
6	CLINICAL BIOCHEMISTRY	Serum	Amylase	CNP-Triose/CNPG3
7	CLINICAL BIOCHEMISTRY	Serum	Anti CCP	CLIA
8	CLINICAL BIOCHEMISTRY	Serum	Anti TG	CLIA
9	CLINICAL BIOCHEMISTRY	Serum	Anti TPO	CLIA
10	CLINICAL BIOCHEMISTRY	Serum	BHCG	CLIA
11	CLINICAL BIOCHEMISTRY	Serum	Bicarbonate	Enzymatic
12	CLINICAL BIOCHEMISTRY	Serum	Bilirubin-Direct	Diazotization
13	CLINICAL BIOCHEMISTRY	Serum	Bilirubin-Total	Jendrassik Grof
14	CLINICAL BIOCHEMISTRY	Serum	Blood Urea Nitrogen (BUN)	Urease
15	CLINICAL BIOCHEMISTRY	Serum	CA-125	CLIA
16	CLINICAL BIOCHEMISTRY	Serum	Calcium	o-cresolphthalein complexone
17	CLINICAL BIOCHEMISTRY	Serum	CEA	CLIA
18	CLINICAL BIOCHEMISTRY	Serum	Chloride	Direct ISE
19	CLINICAL BIOCHEMISTRY	Serum	CHOL/HDL Ratio	Calculated



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

ASPIRA PATHLAB AND DIAGNOSTICS LTD, R D SHAH BUILDING, GHATKOPAR (W),
MUMBAI, MAHARASHTRA, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2447

Page No

2 of 8

Validity

15/11/2019 to 14/11/2021

Last Amended on

03/07/2021

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
20	CLINICAL BIOCHEMISTRY	Serum	Cholesterol LDL/HDL Ratio	Calculated
21	CLINICAL BIOCHEMISTRY	Serum	Cholesterol-Total	Cholesterol Oxidase esterase, peroxidase
22	CLINICAL BIOCHEMISTRY	Serum	Cortisol	CLIA
23	CLINICAL BIOCHEMISTRY	Serum	C-Peptide	CLIA
24	CLINICAL BIOCHEMISTRY	Serum	CPK	NAC Activated
25	CLINICAL BIOCHEMISTRY	Serum	Creatinine	Alkaline picrate-Kinetic
26	CLINICAL BIOCHEMISTRY	Serum	eGFR	Calculated
27	CLINICAL BIOCHEMISTRY	Serum	Ferritin	CLIA
28	CLINICAL BIOCHEMISTRY	Serum	Free Beta HCG	CLIA
29	CLINICAL BIOCHEMISTRY	Serum	Free/Total PSA Ratio	Calculated
30	CLINICAL BIOCHEMISTRY	Serum	FSH	CLIA
31	CLINICAL BIOCHEMISTRY	Serum	FT3	CLIA
32	CLINICAL BIOCHEMISTRY	Serum	FT4	CLIA
33	CLINICAL BIOCHEMISTRY	Serum	Gamma GT	G-glutamyl-carboxy-nitroanilide
34	CLINICAL BIOCHEMISTRY	Serum	GOT	UV with P5P, IFCC 37 degree
35	CLINICAL BIOCHEMISTRY	Serum	GPT	UV with P5P, IFCC 37 degree
36	CLINICAL BIOCHEMISTRY	Serum	HDL-Chol	Direct Measure-PEG
37	CLINICAL BIOCHEMISTRY	Serum	IBCT	Photometry with Ferene
38	CLINICAL BIOCHEMISTRY	Serum	IgE	CLIA
39	CLINICAL BIOCHEMISTRY	Serum	Insulin	CLIA



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

ASPIRA PATHLAB AND DIAGNOSTICS LTD, R D SHAH BUILDING, GHATKOPAR (W),
MUMBAI, MAHARASHTRA, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2447

Page No

3 of 8

Validity

15/11/2019 to 14/11/2021

Last Amended on

03/07/2021

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
40	CLINICAL BIOCHEMISTRY	Serum	Ionized calcium	Direct ISE
41	CLINICAL BIOCHEMISTRY	Serum	Iron	Photometry with Ferene
42	CLINICAL BIOCHEMISTRY	Serum	LDH	Lactate to Pyruvate
43	CLINICAL BIOCHEMISTRY	Serum	LDL	Calculated
44	CLINICAL BIOCHEMISTRY	Serum	LDL Cholesterol	Direct Measure
45	CLINICAL BIOCHEMISTRY	Serum	LH	CLIA
46	CLINICAL BIOCHEMISTRY	Serum	Lipase	6 Methyl resorufin
47	CLINICAL BIOCHEMISTRY	Serum	Non HDL Cholesterol	Calculated
48	CLINICAL BIOCHEMISTRY	Serum	PAPPA	CLIA
49	CLINICAL BIOCHEMISTRY	Serum	Phosphorus	Phosphomolybdate
50	CLINICAL BIOCHEMISTRY	Serum	Potassium	Direct ISE
51	CLINICAL BIOCHEMISTRY	Serum	Prolactin	CLIA
52	CLINICAL BIOCHEMISTRY	Serum	PSA-Free	CLIA
53	CLINICAL BIOCHEMISTRY	Serum	PSA-Total	CLIA
54	CLINICAL BIOCHEMISTRY	Serum	Sodium	Direct ISE
55	CLINICAL BIOCHEMISTRY	Serum	Total HCG	CLIA
56	CLINICAL BIOCHEMISTRY	Serum	Total Protein	Biuret, reagent blank end point
57	CLINICAL BIOCHEMISTRY	Serum	Total T3	CLIA
58	CLINICAL BIOCHEMISTRY	Serum	Total T4	CLIA
59	CLINICAL BIOCHEMISTRY	Serum	Triglycerides	GPO POD
60	CLINICAL BIOCHEMISTRY	Serum	TSH Ultra Sensitive	CLIA
61	CLINICAL BIOCHEMISTRY	Serum	Uric Acid	Uricase, colorimetric
62	CLINICAL BIOCHEMISTRY	Serum	Vitamin B12	CLIA



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

ASPIRA PATHLAB AND DIAGNOSTICS LTD, R D SHAH BUILDING, GHATKOPAR (W), MUMBAI, MAHARASHTRA, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2447

Page No

4 of 8

Validity

15/11/2019 to 14/11/2021

Last Amended on

03/07/2021

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
63	CLINICAL BIOCHEMISTRY	Serum	Vitamin D Total 25-Hydroxy	CLIA
64	CLINICAL BIOCHEMISTRY	Serum	VLDL	Calculated
65	CLINICAL PATHOLOGY	Stool	Colour	Visual Examination
66	CLINICAL PATHOLOGY	Stool	Consistency	Visual Examination
67	CLINICAL PATHOLOGY	Stool	Cyst	Microscopy
68	CLINICAL PATHOLOGY	Stool	Epithelial Cells	Microscopy
69	CLINICAL PATHOLOGY	Stool	Fat Globules	Microscopy
70	CLINICAL PATHOLOGY	Stool	Frank Blood	Visual Examination
71	CLINICAL PATHOLOGY	Stool	Macrophages	Microscopy
72	CLINICAL PATHOLOGY	Stool	Mucus	Visual Examination
73	CLINICAL PATHOLOGY	Stool	Occult Blood	Peroxidase activity
74	CLINICAL PATHOLOGY	Stool	Ova of Parasites	Microscopy
75	CLINICAL PATHOLOGY	Stool	Parasite	Visual Examination
76	CLINICAL PATHOLOGY	Stool	Pus Cells	Microscopy
77	CLINICAL PATHOLOGY	Stool	Reaction (pH)	pH Paper
78	CLINICAL PATHOLOGY	Stool	Red Blood Cells	Microscopy
79	CLINICAL PATHOLOGY	Stool	Starch Granules	Microscopy
80	CLINICAL PATHOLOGY	Stool	Veg. Fibers	Microscopy
81	CLINICAL PATHOLOGY	Stool	Vegetative Forms	Microscopy
82	CLINICAL PATHOLOGY	Urine	Amorphous debris	Microscopy
83	CLINICAL PATHOLOGY	Urine	Appearance	Visual Examination
84	CLINICAL PATHOLOGY	Urine	Bacteria	Microscopy
85	CLINICAL PATHOLOGY	Urine	Bile Pigments	Fouchets Test



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

ASPIRA PATHLAB AND DIAGNOSTICS LTD, R D SHAH BUILDING, GHATKOPAR (W),
MUMBAI, MAHARASHTRA, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2447

Page No

5 of 8

Validity

15/11/2019 to 14/11/2021

Last Amended on

03/07/2021

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
86	CLINICAL PATHOLOGY	Urine	Casts	Microscopy
87	CLINICAL PATHOLOGY	Urine	Colour	Visual Examination
88	CLINICAL PATHOLOGY	Urine	Crystals	Microscopy
89	CLINICAL PATHOLOGY	Urine	Epithelial cells	Microscopy
90	CLINICAL PATHOLOGY	Urine	Ketones	Legal's Test
91	CLINICAL PATHOLOGY	Urine	Occult Blood	Peroxidase activity
92	CLINICAL PATHOLOGY	Urine	pH	Double indicator
93	CLINICAL PATHOLOGY	Urine	Proteins	Protein-error-of-Indicators
94	CLINICAL PATHOLOGY	Urine	Pus Cells	Microscopy
95	CLINICAL PATHOLOGY	Urine	Quantity	Volumetric
96	CLINICAL PATHOLOGY	Urine	Red Blood cells	Microscopy
97	CLINICAL PATHOLOGY	Urine	Specific Gravity	Indicator System
98	CLINICAL PATHOLOGY	Urine	Sugar	GOD-POD
99	CLINICAL PATHOLOGY	Urine	Urobilinogen	Ehrlich Reaction
100	CLINICAL PATHOLOGY	Urine	Yeast cell	Microscopy
101	HAEMATOLOGY	Citrate Plasma	Fibrinogen	Viscosity
102	HAEMATOLOGY	Citrate Plasma	PT	Viscosity
103	HAEMATOLOGY	Citrate Plasma	PTT	Viscosity
104	HAEMATOLOGY	EDTA Whole Blood	Atypical Lymphocyte	Peroxidase
105	HAEMATOLOGY	EDTA Whole Blood	Basophils	Peroxidase
106	HAEMATOLOGY	EDTA Whole Blood	Blood Group	Forward and Reverse by Tube Method
107	HAEMATOLOGY	EDTA Whole Blood	Eosinophils	Peroxidase



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	ASPIRA PATHLAB AND DIAGNOSTICS LTD, R D SHAH BUILDING, GHATKOPAR (W), MUMBAI, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2447	Page No	6 of 8
Validity	15/11/2019 to 14/11/2021	Last Amended on	03/07/2021

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
108	HAEMATOLOGY	EDTA Whole Blood	Erythrocyte count	Optical
109	HAEMATOLOGY	EDTA Whole Blood	ESR	Photometric Capillary
110	HAEMATOLOGY	EDTA Whole Blood	HbA2	HPLC
111	HAEMATOLOGY	EDTA Whole Blood	HbF	HPLC
112	HAEMATOLOGY	EDTA Whole Blood	Hemoglobin	Non Cyanide
113	HAEMATOLOGY	EDTA Whole Blood	Lymphocytes	Peroxidase
114	HAEMATOLOGY	EDTA Whole Blood	MCH	Calculated
115	HAEMATOLOGY	EDTA Whole Blood	MCHC	Calculated
116	HAEMATOLOGY	EDTA Whole Blood	MCV	Light Scattering
117	HAEMATOLOGY	EDTA Whole Blood	Monocytes	Peroxidase
118	HAEMATOLOGY	EDTA Whole Blood	MP	Microscopy & Field's Stain
119	HAEMATOLOGY	EDTA Whole Blood	MPV	Light Scattering
120	HAEMATOLOGY	EDTA Whole Blood	Neutrophils	Peroxidase
121	HAEMATOLOGY	EDTA Whole Blood	PCV/HCT	Calculated
122	HAEMATOLOGY	EDTA Whole Blood	PDW	Calculated
123	HAEMATOLOGY	EDTA Whole Blood	Platelet morphology	Microscopy
124	HAEMATOLOGY	EDTA Whole Blood	Platelets	Optical
125	HAEMATOLOGY	EDTA Whole Blood	RBC morphology	Light Scatter/ Microscopy
126	HAEMATOLOGY	EDTA Whole Blood	RDW	Calculated
127	HAEMATOLOGY	EDTA Whole Blood	Reticulocyte Count	Microscopy, Supravital Stain
128	HAEMATOLOGY	EDTA Whole Blood	WBC-Total count	Flow cytometry



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	ASPIRA PATHLAB AND DIAGNOSTICS LTD, R D SHAH BUILDING, GHATKOPAR (W), MUMBAI, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012	Page No	7 of 8
Certificate Number	MC-2447	Last Amended on	03/07/2021
Validity	15/11/2019 to 14/11/2021		

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
129	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Chickunguniya IgM	Immunochromatography
130	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	CRP	Immunonephlometry
131	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Dengue NS1 Rapid	Immunochromatography
132	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HBsAg	CLIA
133	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HBsAg	Immunochromatography
134	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HCV Antibodies	Immunofiltration
135	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV Antibodies	CLIA
136	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV Antibodies	ELFA
137	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV Antibodies	Immunofiltration



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	ASPIRA PATHLAB AND DIAGNOSTICS LTD, R D SHAH BUILDING, GHATKOPAR (W), MUMBAI, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2447	Page No	8 of 8
Validity	15/11/2019 to 14/11/2021	Last Amended on	03/07/2021

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
138	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	MP Ag	Rapid Detection of pLDH
139	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	RA	Immunonephlometry
140	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	RPR	Slide Flocculation
141	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Typhidot IgM	Immunochemistry
142	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Widal	Agglutination
S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
LOCATION 2 - C232/1, T.T.C. INDUSTRIAL AREA, MIDC, VILLAGE PAWANE, NAVI MUMBAI, MUMBAI, MAHARASHTRA, INDIA Permanent Facility				
1	MOLECULAR TESTING	Nasopharyngeal swab / oropharyngeal swab in VTM/ ET secretions / BAL in VTM	SARS - CoV-2 RNA Qualitative	Real Time RT PCR (Open System)
2	MOLECULAR TESTING	Nasopharyngeal swab / oropharyngeal swab in VTM/ ET secretions / BAL in VTM	SARS - CoV-2 RNA Qualitative	Real Time RTPCR (Closed System)