



PATANJALI FOODS LIMITED

Corporate Office : 601, Part B-2, 6th Floor, Metro Tower, Vijay Nagar, A.B. Road, Indore-452 010

Phone : +91 (731) 4767109 / 4767110 ● E-mail : corporate@patanjalifoods.co.in

CIN-L15140MH1986PLC038536



PFL/2024

June 27, 2024

To

BSE Limited

Phiroze Jeejeebhoy Tower

Dalal Street,

Mumbai – 400 001

National Stock Exchange of India Limited

“Exchange Plaza”

Bandra Kurla Complex,

Bandra (E),

Mumbai – 400 051

Scrip Code: 500368

NSE Symbol: PATANJALI

Dear Sirs/Madam,

Sub: Disclosure under Regulation 30 of Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015

Pursuant to Regulation 30 read with sub-para 20 of Para A of Part A of Schedule III of the Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015 (“SEBI Listing Regulations”), we hereby submit the disclosure regarding notices received from Karnataka State Pollution Control Board.

The details as required under Clause 20 of Para A of Part A of Schedule III of SEBI Listing Regulations is enclosed as **Annexure I**.

This is for your information and records please.

Thanking you,

Yours faithfully,

For Patanjali Foods Limited

Ramji Lal Gupta

Company Secretary

Encl.: As above

Annexure I

Details as required under Clause 20 of Para A of Part A of Schedule III of SEBI Listing Regulations are given below:

S. No.	Particulars	Details
i.	Name of the Authority	Karnataka State Pollution Control Board (“KSPCB”)
ii.	Nature and details of the action(s) taken, initiated or order(s) passed	<p>All show cause notices pertain to Company’s Manglore unit:</p> <p>(i) The Company has been directed to immediately stop the flow of any kind of effluent into the storm water drain to outside premises and to take other preventive actions for the same.</p> <p>(ii) KSPCB has issued Retraining Order to the Company prohibiting/restraining the industry/unit from discharge of untreated effluent to the storm water drain/outside industry/unit premises /to water bodies at any point of time.</p> <p>(iii) For pending compliance of certain directives issued by KSPCB, the Company has been directed to submit its reply as to why the KSPCB shall not revoke the consent issued under Water (Prevention & Control of Pollution) Act, 1974.</p>
iii.	Date of receipt of direction or order, including any ad-interim or interim orders, or any other communication from the authority	(i) June 20, 2024, (ii) June 24, 2024 and (iii) June 24, 2024 (all received on June 26, 2024)
iv.	Details of the violation(s) / contravention(s) committed or alleged to be committed	<p>The following points were raised by KSPCB in the above show cause notices:</p> <p>1. There was greyish black color water stagnant in the drain outside the industry premises. It was apprehended that during</p>

		<p>the rains, the effluents along with the rain water were discharged to the storm water drain.</p> <ol style="list-style-type: none"> 2. Water was stagnant at the ETP area and there was blackish color effluent from sludge drying bed, water collection sump overflowing at the sludge drying bed. 3. There was metal scrap, solid wastes as well as plastic wastes dumped in huge quantity at backyard of the industry. 4. Installation of the RO plant and commissioning of ZLD has not been completed. 5. The house keeping around the industry needs to be improved.
v.	Impact on financial, operation or other activities of the listed entity, quantifiable in monetary terms to the extent possible	The Company is in the process of complying with the directives issued by KSPCB. Hence there should not be any material impact on the Company.