



Gyscoal® Alloys Ltd.

An ISO 9001 Certified Company
Government Recognized One Star Export House

Corporate Office:

2nd Floor, Mrudul Tower,
B/h. Times of India, Ashram Road,
Ahmedabad - 380 009, Gujarat, INDIA.
Tel.: +91-79-66614508 E-mail: info@gyscoal.com
Web.: www.gyscoal.com
CIN: L27209GJ1999PLC036656

Regd. Office & Factory:

Ubkhali, Kukarwada - 382 830,
Tal.: Vijapur, Dist.: Mehsana,
Gujarat, INDIA.
Tel.: +91-2763-252384
Fax: +91-2763-252540
E-mail: info@gyscoal.com

Date: 7th August, 2019

To,

Department of Corporate Services
Bombay Stock Exchange Limited
Phirozejeebhoy Tower,
Dalal Street, Mumbai – 400 001.

Department Of Corporate Services
National Stock Exchange of India Ltd.,
Exchange Plaza, C-1, Block G,
BandraKurla Complex,
Bandra (E)
Mumbai – 400 051

SCRIP CODE:
533275

COMPANY SYMBOL: **GAL**

CORPORATE INFORMATION

SUB: REGULATION 29: INTIMATION OF BOARD MEETING.

Dear Sir/Madam,

Pursuant to Regulation 29 of SEBI (Listing Obligations and Disclosure Requirements), Regulations 2015 read with the Uniform Listing Agreement entered into with Stock Exchanges by the Company, we hereby inform you that the meeting of the Board of Directors of Gyscoal Alloys Limited will be held on **Thursday, 14th August, 2019** at the Corporate Office of the Company, situated at 2nd Floor, Mrudul Tower, B/H Times of India, Ashram Road, Ahmedabad- 380009, inter – alia, to consider & approve the Un-Audited Financial Results (Standalone & Consolidated) of the Company for the first quarter ended 30th June, 2019 as per Regulation 33 of SEBI (Listing Obligations and Disclosure Requirements), Regulations 2015 and to transact any other businesses.

Further in terms of the SEBI (Prohibition of Insider Trading) Regulations, 2015 (as amended from time to time), the trading window shall remain closed till 48 hours of announcement of Financial results in public in view of aforesaid Board Meeting.

Thanking You,

Yours faithfully,
For, Gyscoal Alloys Limited

Bhavika
Bhavika Sharma
Company Secretary &
Compliance Officer

