



MULLER AND PHIPPS INDIA LIMITED.
C-204,2ND FLOOR, MADHAVA, BANDRA KURLA COMPLEX, MUMBAI-400 052.
CIN: L63090MH1917PLC007897

June 17, 2021

The Secretary,
Bombay Stock Exchange Limited,
1st Floor, Phiroze Jeejeebhoy Towers,
Dalal Street,
Mumbai – 400001

Scrip Code: 501477

Dear Sir,

Sub: Compliance under Regulation 47 of the SEBI (Listing Obligations & Disclosure Requirements) Regulations, 2015.

Pursuant to Regulation 47 of the Securities and Exchange Board of India (Listing Obligations & Disclosure Requirements) Regulations, 2015, please find enclosed Public Notice published in the Newspapers viz. - "The Free Press Journal" (English) and "Navshakti" (Marathi) viz.- June 16, 2021, informing about the Notice of the Audited Financial Statements for the quarter and year ended 31-03-2021.

You are requested to take note of the same.

Thank you.
Yours faithfully

For Muller and Phipps India Limited

Milan Dalal
Director
DIN: 00062453



BRIHANMUMBAI MAHANAGARPALIKA
CHIEF ENGINEER (BM & HC) DEPARTMENT
 Ch. E/BM/4640HC/Dtd. 15.06.2021
Short E-tender Notice

Department: Chief Engineer (BM & HC)
 Sub-Department: Dy.Ch.E.(HC)
 Tender No.: Bid No. 7100212520
 Subject: Proposed structural and general repairs to the M.S. office and Grounds building, Pathology building, Canteen and existing G.R. Structures, G-2 building (Part portion), Trauma Care building, C.T. Scan Building, construction of new lift well and foundation for trauma care building and development of the premise in Rajawadi Hospital, Ghatkopar (E) in N ward.

Tender-Date: 16.06.2021 from 11:00 am to 23.05.2021 upto 12:00 pm
 Website: <http://portal.mcgm.gov.in>
 Concern Person: A.E.(HC)/ES/ES/HC/ES
 Name: Shri Ravindra Lokhande / Shri Ajay Sonavane
 Telephone No.: 022-24901936, 9766946645
 Email-id: dyche01.thic.pd@mcgm.gov.in

MULLER & PHIPPS (INDIA) LTD
 4-204/2 First Floor, 100/100A, 100/100B, 100/100C, 100/100D, 100/100E, 100/100F, 100/100G, 100/100H, 100/100I, 100/100J, 100/100K, 100/100L, 100/100M, 100/100N, 100/100O, 100/100P, 100/100Q, 100/100R, 100/100S, 100/100T, 100/100U, 100/100V, 100/100W, 100/100X, 100/100Y, 100/100Z, 100/100AA, 100/100AB, 100/100AC, 100/100AD, 100/100AE, 100/100AF, 100/100AG, 100/100AH, 100/100AI, 100/100AJ, 100/100AK, 100/100AL, 100/100AM, 100/100AN, 100/100AO, 100/100AP, 100/100AQ, 100/100AR, 100/100AS, 100/100AT, 100/100AU, 100/100AV, 100/100AW, 100/100AX, 100/100AY, 100/100AZ, 100/100BA, 100/100BB, 100/100BC, 100/100BD, 100/100BE, 100/100BF, 100/100BG, 100/100BH, 100/100BI, 100/100BJ, 100/100BK, 100/100BL, 100/100BM, 100/100BN, 100/100BO, 100/100BP, 100/100BQ, 100/100BR, 100/100BS, 100/100BT, 100/100BU, 100/100BV, 100/100BW, 100/100BX, 100/100BY, 100/100BZ, 100/100CA, 100/100CB, 100/100CC, 100/100CD, 100/100CE, 100/100CF, 100/100CG, 100/100CH, 100/100CI, 100/100CJ, 100/100CK, 100/100CL, 100/100CM, 100/100CN, 100/100CO, 100/100CP, 100/100CQ, 100/100CR, 100/100CS, 100/100CT, 100/100CU, 100/100CV, 100/100CW, 100/100CX, 100/100CY, 100/100CZ, 100/100DA, 100/100DB, 100/100DC, 100/100DD, 100/100DE, 100/100DF, 100/100DG, 100/100DH, 100/100DI, 100/100DJ, 100/100DK, 100/100DL, 100/100DM, 100/100DN, 100/100DO, 100/100DP, 100/100DQ, 100/100DR, 100/100DS, 100/100DT, 100/100DU, 100/100DV, 100/100DW, 100/100DX, 100/100DY, 100/100DZ, 100/100EA, 100/100EB, 100/100EC, 100/100ED, 100/100EE, 100/100EF, 100/100EG, 100/100EH, 100/100EI, 100/100EJ, 100/100EK, 100/100EL, 100/100EM, 100/100EN, 100/100EO, 100/100EP, 100/100EQ, 100/100ER, 100/100ES, 100/100ET, 100/100EU, 100/100EV, 100/100EW, 100/100EX, 100/100EY, 100/100EZ, 100/100FA, 100/100FB, 100/100FC, 100/100FD, 100/100FE, 100/100FF, 100/100FG, 100/100FH, 100/100FI, 100/100FJ, 100/100FK, 100/100FL, 100/100FM, 100/100FN, 100/100FO, 100/100FP, 100/100FQ, 100/100FR, 100/100FS, 100/100FT, 100/100FU, 100/100FV, 100/100FW, 100/100FX, 100/100FY, 100/100FZ, 100/100GA, 100/100GB, 100/100GC, 100/100GD, 100/100GE, 100/100GF, 100/100GG, 100/100GH, 100/100GI, 100/100GJ, 100/100GK, 100/100GL, 100/100GM, 100/100GN, 100/100GO, 100/100GP, 100/100GQ, 100/100GR, 100/100GS, 100/100GT, 100/100GU, 100/100GV, 100/100GW, 100/100GX, 100/100GY, 100/100GZ, 100/100HA, 100/100HB, 100/100HC, 100/100HD, 100/100HE, 100/100HF, 100/100HG, 100/100HH, 100/100HI, 100/100HJ, 100/100HK, 100/100HL, 100/100HM, 100/100HN, 100/100HO, 100/100HP, 100/100HQ, 100/100HR, 100/100HS, 100/100HT, 100/100HU, 100/100HV, 100/100HW, 100/100HX, 100/100HY, 100/100HZ, 100/100IA, 100/100IB, 100/100IC, 100/100ID, 100/100IE, 100/100IF, 100/100IG, 100/100IH, 100/100II, 100/100IJ, 100/100IK, 100/100IL, 100/100IM, 100/100IN, 100/100IO, 100/100IP, 100/100IQ, 100/100IR, 100/100IS, 100/100IT, 100/100IU, 100/100IV, 100/100IW, 100/100IX, 100/100IY, 100/100IZ, 100/100JA, 100/100JB, 100/100JC, 100/100JD, 100/100JE, 100/100JF, 100/100JG, 100/100JH, 100/100JI, 100/100JJ, 100/100JK, 100/100JL, 100/100JM, 100/100JN, 100/100JO, 100/100JP, 100/100JQ, 100/100JR, 100/100JS, 100/100JT, 100/100JU, 100/100JV, 100/100JW, 100/100JX, 100/100JY, 100/100JZ, 100/100KA, 100/100KB, 100/100KC, 100/100KD, 100/100KE, 100/100KF, 100/100KG, 100/100KH, 100/100KI, 100/100KJ, 100/100KL, 100/100KM, 100/100KN, 100/100KO, 100/100KP, 100/100KQ, 100/100KR, 100/100KS, 100/100KT, 100/100KU, 100/100KV, 100/100KW, 100/100KX, 100/100KY, 100/100KZ, 100/100LA, 100/100LB, 100/100LC, 100/100LD, 100/100LE, 100/100LF, 100/100LG, 100/100LH, 100/100LI, 100/100LJ, 100/100LK, 100/100LM, 100/100LN, 100/100LO, 100/100LP, 100/100LQ, 100/100LR, 100/100LS, 100/100LT, 100/100LU, 100/100LV, 100/100LW, 100/100LX, 100/100LY, 100/100LZ, 100/100MA, 100/100MB, 100/100MC, 100/100MD, 100/100ME, 100/100MF, 100/100MG, 100/100MH, 100/100MI, 100/100MJ, 100/100MK, 100/100ML, 100/100MN, 100/100MO, 100/100MP, 100/100MQ, 100/100MR, 100/100MS, 100/100MT, 100/100MU, 100/100MV, 100/100MW, 100/100MX, 100/100MY, 100/100MZ, 100/100NA, 100/100NB, 100/100NC, 100/100ND, 100/100NE, 100/100NF, 100/100NG, 100/100NH, 100/100NI, 100/100NJ, 100/100NK, 100/100NL, 100/100NM, 100/100NO, 100/100NP, 100/100NQ, 100/100NR, 100/100NS, 100/100NT, 100/100NU, 100/100NV, 100/100NW, 100/100NX, 100/100NY, 100/100NZ, 100/100OA, 100/100OB, 100/100OC, 100/100OD, 100/100OE, 100/100OF, 100/100OG, 100/100OH, 100/100OI, 100/100OJ, 100/100OK, 100/100OL, 100/100OM, 100/100ON, 100/100OO, 100/100OP, 100/100OQ, 100/100OR, 100/100OS, 100/100OT, 100/100OU, 100/100OV, 100/100OW, 100/100OX, 100/100OY, 100/100OZ, 100/100PA, 100/100PB, 100/100PC, 100/100PD, 100/100PE, 100/100PF, 100/100PG, 100/100PH, 100/100PI, 100/100PJ, 100/100PK, 100/100PL, 100/100PM, 100/100PN, 100/100PO, 100/100PP, 100/100PQ, 100/100PR, 100/100PS, 100/100PT, 100/100PU, 100/100PV, 100/100PW, 100/100PX, 100/100PY, 100/100PZ, 100/100QA, 100/100QB, 100/100QC, 100/100QD, 100/100QE, 100/100QF, 100/100QG, 100/100QH, 100/100QI, 100/100QJ, 100/100QK, 100/100QL, 100/100QM, 100/100QN, 100/100QO, 100/100QP, 100/100QQ, 100/100QR, 100/100QS, 100/100QT, 100/100QU, 100/100QV, 100/100QW, 100/100QX, 100/100QY, 100/100QZ, 100/100RA, 100/100RB, 100/100RC, 100/100RD, 100/100RE, 100/100RF, 100/100RG, 100/100RH, 100/100RI, 100/100RJ, 100/100RK, 100/100RL, 100/100RM, 100/100RN, 100/100RO, 100/100RP, 100/100RQ, 100/100RR, 100/100RS, 100/100RT, 100/100RU, 100/100RV, 100/100RW, 100/100RX, 100/100RY, 100/100RZ, 100/100SA, 100/100SB, 100/100SC, 100/100SD, 100/100SE, 100/100SF, 100/100SG, 100/100SH, 100/100SI, 100/100SJ, 100/100SK, 100/100SL, 100/100SM, 100/100SN, 100/100SO, 100/100SP, 100/100SQ, 100/100SR, 100/100SS, 100/100ST, 100/100SU, 100/100SV, 100/100SW, 100/100SX, 100/100SY, 100/100SZ, 100/100TA, 100/100TB, 100/100TC, 100/100TD, 100/100TE, 100/100TF, 100/100TG, 100/100TH, 100/100TI, 100/100TJ, 100/100TK, 100/100TL, 100/100TM, 100/100TN, 100/100TO, 100/100TP, 100/100TQ, 100/100TR, 100/100TS, 100/100TT, 100/100TU, 100/100TV, 100/100TW, 100/100TX, 100/100TY, 100/100TZ, 100/100UA, 100/100UB, 100/100UC, 100/100UD, 100/100UE, 100/100UF, 100/100UG, 100/100UH, 100/100UI, 100/100UJ, 100/100UK, 100/100UL, 100/100UM, 100/100UN, 100/100UO, 100/100UP, 100/100UQ, 100/100UR, 100/100US, 100/100UT, 100/100UU, 100/100UV, 100/100UW, 100/100UX, 100/100UY, 100/100UZ, 100/100VA, 100/100VB, 100/100VC, 100/100VD, 100/100VE, 100/100VF, 100/100VG, 100/100VH, 100/100VI, 100/100VJ, 100/100VK, 100/100VL, 100/100VM, 100/100VN, 100/100VO, 100/100VP, 100/100VQ, 100/100VR, 100/100VS, 100/100VT, 100/100VU, 100/100VV, 100/100VW, 100/100VX, 100/100VY, 100/100VZ, 100/100WA, 100/100WB, 100/100WC, 100/100WD, 100/100WE, 100/100WF, 100/100WG, 100/100WH, 100/100WI, 100/100WJ, 100/100WK, 100/100WL, 100/100WM, 100/100WN, 100/100WO, 100/100WP, 100/100WQ, 100/100WR, 100/100WS, 100/100WT, 100/100WU, 100/100WV, 100/100WW, 100/100WX, 100/100WY, 100/100WZ, 100/100XA, 100/100XB, 100/100XC, 100/100XD, 100/100XE, 100/100XF, 100/100XG, 100/100XH, 100/100XI, 100/100XJ, 100/100XK, 100/100XL, 100/100XM, 100/100XN, 100/100XO, 100/100XP, 100/100XQ, 100/100XR, 100/100XS, 100/100XT, 100/100XU, 100/100XV, 100/100XW, 100/100XX, 100/100XY, 100/100XZ, 100/100YA, 100/100YB, 100/100YC, 100/100YD, 100/100YE, 100/100YF, 100/100YG, 100/100YH, 100/100YI, 100/100YJ, 100/100YK, 100/100YL, 100/100YM, 100/100YN, 100/100YO, 100/100YP, 100/100YQ, 100/100YR, 100/100YS, 100/100YT, 100/100YU, 100/100YV, 100/100YW, 100/100YX, 100/100YZ, 100/100ZA, 100/100ZB, 100/100ZC, 100/100ZD, 100/100ZE, 100/100ZF, 100/100ZG, 100/100ZH, 100/100ZI, 100/100ZJ, 100/100ZK, 100/100ZL, 100/100ZM, 100/100ZN, 100/100ZO, 100/100ZP, 100/100ZQ, 100/100ZR, 100/100ZS, 100/100ZT, 100/100ZU, 100/100ZV, 100/100ZW, 100/100ZX, 100/100ZY, 100/100ZZ

PUBLIC NOTICE
 NOTICE is hereby given pursuant to Regulation 29 read with Regulation 47 of SEBI (Issue of Prospectus and Allotment) Regulations, 2015, the meeting of the Board of Directors of the Company is scheduled on Wednesday, June 23, 2021, at 11:00 AM at the registered office of the Company at 100/100A, 100/100B, 100/100C, 100/100D, 100/100E, 100/100F, 100/100G, 100/100H, 100/100I, 100/100J, 100/100K, 100/100L, 100/100M, 100/100N, 100/100O, 100/100P, 100/100Q, 100/100R, 100/100S, 100/100T, 100/100U, 100/100V, 100/100W, 100/100X, 100/100Y, 100/100Z, 100/100AA, 100/100AB, 100/100AC, 100/100AD, 100/100AE, 100/100AF, 100/100AG, 100/100AH, 100/100AI, 100/100AJ, 100/100AK, 100/100AL, 100/100AM, 100/100AN, 100/100AO, 100/100AP, 100/100AQ, 100/100AR, 100/100AS, 100/100AT, 100/100AU, 100/100AV, 100/100AW, 100/100AX, 100/100AY, 100/100AZ, 100/100BA, 100/100BB, 100/100BC, 100/100BD, 100/100BE, 100/100BF, 100/100BG, 100/100BH, 100/100BI, 100/100BJ, 100/100BK, 100/100BL, 100/100BM, 100/100BN, 100/100BO, 100/100BP, 100/100BQ, 100/100BR, 100/100BS, 100/100BT, 100/100BU, 100/100BV, 100/100BW, 100/100BX, 100/100BY, 100/100BZ, 100/100CA, 100/100CB, 100/100CC, 100/100CD, 100/100CE, 100/100CF, 100/100CG, 100/100CH, 100/100CI, 100/100CJ, 100/100CK, 100/100CL, 100/100CM, 100/100CN, 100/100CO, 100/100CP, 100/100CQ, 100/100CR, 100/100CS, 100/100CT, 100/100CU, 100/100CV, 100/100CW, 100/100CX, 100/100CY, 100/100CZ, 100/100DA, 100/100DB, 100/100DC, 100/100DD, 100/100DE, 100/100DF, 100/100DG, 100/100DH, 100/100DI, 100/100DJ, 100/100DK, 100/100DL, 100/100DM, 100/100DN, 100/100DO, 100/100DP, 100/100DQ, 100/100DR, 100/100DS, 100/100DT, 100/100DU, 100/100DV, 100/100DW, 100/100DX, 100/100DY, 100/100DZ, 100/100EA, 100/100EB, 100/100EC, 100/100ED, 100/100EE, 100/100EF, 100/100EG, 100/100EH, 100/100EI, 100/100EJ, 100/100EK, 100/100EL, 100/100EM, 100/100EN, 100/100EO, 100/100EP, 100/100EQ, 100/100ER, 100/100ES, 100/100ET, 100/100EU, 100/100EV, 100/100EW, 100/100EX, 100/100EY, 100/100EZ, 100/100FA, 100/100FB, 100/100FC, 100/100FD, 100/100FE, 100/100FF, 100/100FG, 100/100FH, 100/100FI, 100/100FJ, 100/100FK, 100/100FL, 100/100FM, 100/100FN, 100/100FO, 100/100FP, 100/100FQ, 100/100FR, 100/100FS, 100/100FT, 100/100FU, 100/100FV, 100/100FW, 100/100FX, 100/100FY, 100/100FZ, 100/100GA, 100/100GB, 100/100GC, 100/100GD, 100/100GE, 100/100GF, 100/100GG, 100/100GH, 100/100GI, 100/100GJ, 100/100GK, 100/100GL, 100/100GM, 100/100GN, 100/100GO, 100/100GP, 100/100GQ, 100/100GR, 100/100GS, 100/100GT, 100/100GU, 100/100GV, 100/100GW, 100/100GX, 100/100GY, 100/100GZ, 100/100HA, 100/100HB, 100/100HC, 100/100HD, 100/100HE, 100/100HF, 100/100HG, 100/100HH, 100/100HI, 100/100HJ, 100/100HK, 100/100HL, 100/100HM, 100/100HN, 100/100HO, 100/100HP, 100/100HQ, 100/100HR, 100/100HS, 100/100HT, 100/100HU, 100/100HV, 100/100HW, 100/100HX, 100/100HY, 100/100HZ, 100/100IA, 100/100IB, 100/100IC, 100/100ID, 100/100IE, 100/100IF, 100/100IG, 100/100IH, 100/100II, 100/100IJ, 100/100IK, 100/100IL, 100/100IM, 100/100IN, 100/100IO, 100/100IP, 100/100IQ, 100/100IR, 100/100IS, 100/100IT, 100/100IU, 100/100IV, 100/100IW, 100/100IX, 100/100IY, 100/100IZ, 100/100JA, 100/100JB, 100/100JC, 100/100JD, 100/100JE, 100/100JF, 100/100JG, 100/100JH, 100/100JI, 100/100JJ, 100/100JK, 100/100JL, 100/100JM, 100/100JN, 100/100JO, 100/100JP, 100/100JQ, 100/100JR, 100/100JS, 100/100JT, 100/100JU, 100/100JV, 100/100JW, 100/100JX, 100/100JY, 100/100JZ, 100/100KA, 100/100KB, 100/100KC, 100/100KD, 100/100KE, 100/100KF, 100/100KG, 100/100KH, 100/100KI, 100/100KJ, 100/100KL, 100/100KM, 100/100KN, 100/100KO, 100/100KP, 100/100KQ, 100/100KR, 100/100KS, 100/100KT, 100/100KU, 100/100KV, 100/100KW, 100/100KX, 100/100KY, 100/100KZ, 100/100LA, 100/100LB, 100/100LC, 100/100LD, 100/100LE, 100/100LF, 100/100LG, 100/100LH, 100/100LI, 100/100LJ, 100/100LK, 100/100LM, 100/100LN, 100/100LO, 100/100LP, 100/100LQ, 100/100LR, 100/100LS, 100/100LT, 100/100LU, 100/100LV, 100/100LW, 100/100LX, 100/100LY, 100/100LZ, 100/100MA, 100/100MB, 100/100MC, 100/100MD, 100/100ME, 100/100MF, 100/100MG, 100/100MH, 100/100MI, 100/100MJ, 100/100MK, 100/100ML, 100/100MN, 100/100MO, 100/100MP, 100/100MQ, 100/100MR, 100/100MS, 100/100MT, 100/100MU, 100/100MV, 100/100MW, 100/100MX, 100/100MY, 100/100MZ, 100/100NA, 100/100NB, 100/100NC, 100/100ND, 100/100NE, 100/100NF, 100/100NG, 100/100NH, 100/100NI, 100/100NJ, 100/100NK, 100/100NL, 100/100NM, 100/100NO, 100/100NP, 100/100NQ, 100/100NR, 100/100NS, 100/100NT, 100/100NU, 100/100NV, 100/100NW, 100/100NX, 100/100NY, 100/100NZ, 100/100OA, 100/100OB, 100/100OC, 100/100OD, 100/100OE, 100/100OF, 100/100OG, 100/100OH, 100/100OI, 100/100OJ, 100/100OK, 100/100OL, 100/100OM, 100/100ON, 100/100OO, 100/100OP, 100/100OQ, 100/100OR, 100/100OS, 100/100OT, 100/100OU, 100/100OV, 100/100OW, 100/100OX, 100/100OY, 100/100OZ, 100/100PA, 100/100PB, 100/100PC, 100/100PD, 100/100PE, 100/100PF, 100/100PG, 100/100PH, 100/100PI, 100/100PJ, 100/100PK, 100/100PL, 100/100PM, 100/100PN, 100/100PO, 100/100PP, 100/100PQ, 100/100PR, 100/100PS, 100/100PT, 100/100PU, 100/100PV, 100/100PW, 100/100PX, 100/100PY, 100/100PZ, 100/100QA, 100/100QB, 100/100QC, 100/100QD, 100/100QE, 100/100QF, 100/100QG, 100/100QH, 100/100QI, 100/100QJ, 100/100QK, 100/100QL

