

(A Government Recognised Trading House)
An ISO 14001 & ISO 9001 Company

Regd./Corp. Off.: 57/2, Site-IV Industrial Area, Sahibabad, Ghaziabad-201010 INDIA
Phones: 91-120-4161700 (30 Lines) Fax: 91-120-200004

Phones : 91-120-4161700 (30 Lines) Fax : 91-120-2896041, 2895299 : info@alpsindustries.com Web. : www.alpsindustries.com : L51109UP1972PLC003544

ALPS/591/SE09/2015-16

April 4, 2016

Ms. Erika D'Sa, (Relationship Manager)
Corporate Relationship Deptt.,

Bombay Stock Exchange Limited,

1ST Floor New Trading Ring,
Rotunda Building, P. J. Towers,
Dalal Street, Fort, Mumbai-400 001.

Ph - 022-22728995

Fax: 022 - 22723121 / 3719/2037/2039/2041/2061

Email - intern.erika@bseindia.com, corp.relations@bseindia.com

SUB: UPDATE ON MATERIAL INFORMATION UNDER PART A & B OF REGULATION 30 OF SEBI (LISTING OBLIGATIONS AND DISCLOSURES REQUIREMENTS) 2015. -

REG.: DISCONTINUANCE OF OPERATIONS ONE OF THE UNIT LOCATED AT HARIDWAR

Dear Sir,

Anish Bijay \Se09.doc

This has reference to our earlier intimation vide letter reference no. ALPS/578/SE09/2015-16 dated February 6, 2016 on the subject mentioned above. In pursuant to Part B of Regulation 30 of SEBI (Listing Obligations and Disclosures Requirements) 2015, we wish to up date on the subject. The Hon'ble National Green Tribunal (N.G.T.) vide its order dated January 27, 2016 had directed to stop the operations of Company's unit located at Plot No. 1A, Sec. 10, I.I.E, SIDCUL, Haridwar, Uttarakhand, till further orders. Accordingly the operations of the said unit had been stopped.

It was alleged that the unit was discharging effluent in excess of the norms and hence polluting water and this unit is not complying with the conditions for discharging of any effluent into the CETP conveyer belt and no permission has been granted to the industry to extract ground water.

However the company had filed the revision application with Hon'ble N.G.T. to withdraw the said directions on the basis that it has an agreement with



(A Government Recognised Trading House) An ISO 14001 & ISO 9001 Company

Regd./Corp. Off.: 57/2, Site-IV Industrial Area, Sahibabad, Ghaziabad-201010 INDIA

: 91-120-4161700 (30 Lines) Fax : 91-120-2896041, 2895299 : info@alpsindustries.com Web. : www.alpsindustries.com Email

CIN No. : L51109UP1972PLC003544

> CETP and SIDCUL for further treatment of its effluent. Hence, SIDCUL and CETP are responsible and to carry out the necessary treatments.

The Company had closed the entire plant and again approached Hon'ble National Green Tribunal (N.G.T.) with a request to the reopen the spinning plant which is a non polluting part.

The Hon'ble National Green Tribunal (N.G.T.) has onsidered request of the company and vide its Order dated March 31 2016, and has allowed the re-opening of Spinning plant subject to the condition that this unit shall start its operation only after getting the new electro-meter installed separately for that unit, Water Meter is fixed and submission of undertaking to take the permission form Ground water authorities within the precribed time limit. A copy of the Orders is enclosed.

This is for your kind information please.

Thanking you

Yours faithfully, For Alps Industries Limited

Company Secretary

& General Manager - Legal

BEFORE THE NATIONAL GREEN TRIBUNAL, PRINCIPAL BENCH, NEW DELHI

Appeal No. 68 of 2015 (M.A. No. 682 of 2015, M.A. No. 1305 of 2015, M.A. No. 100 of 2016 & M.A. No. 178 of 2016)

IN THE MATTER OF :-

ALPS Industries Ltd. Vs. U.E.P.P.C.B. & Ors.

CORAM:

HON'BLE MR. JUSTICE SWATANTER KUMAR, CHAIRPERSON

HON'BLE MR. JUSTICE M.S. NAMBIAR, JUDICIAL MEMBER

HON'BLE DR. D.K. AGRAWAL, EXPERT MEMBER HON'BLE PROF. A.R. YOUSUF, EXPERT MEMBER

Appellant: Present

Mr. Sukumar Pattjoshi, Sr. Adv. with Ms. Antima

Bazaz and Dr. Yash Pal Singh, , Advs.

Respondent No. 1: Respondent No. 2: Mr. Mukesh Verma, Adv. Mr. Rajkumar, Adv. with Mr. Bhupendra Kumar, LA,

Central Pollution Control Board

Respondent No. 3:

Mr. Saurabh Mishra, Adv.

Mr. B.V. Niren, Adv. for CGWA

Date and	
Remarks	Orders of the Tribunal
SS	The Learned Counsel appearing for the Uttarakhand State Pollution Control Board submits that the Applicant has been granted consent only for operating of the spinning unit and for dying unit no consent has been granted and the applicant unit should not be permitted to operate that unit. The Learned Counsel appearing for the CETP also submits that this unit is not complying with the conditions for discharging of any effluent into the CETP conveyer belt. The Learned Counsel appearing for the CGWA submits that they have not granted any permission to the industry to extract ground water as of now. In the light of the above we permit the Applicant to operate the spinning unit only with the specific undertaking which is accepted by the Tribunal, while the dying unit shall remain shut in all respect. We further

batimil schrämbmi sqi A 101

General Manager-Legal)

direct the Pollution Control Board to seal the dying unit completely and also ensure that no electricity supply is provided to that unit till the consent is granted in accordance with law and the unit is permitted to operate by the orders of the Tribunal.

The CGWA shall dispose of the application filed by the Applicant within four weeks from today. In the event no such permission is granted or permission is refused the spinning unit shall also be closed.

With the above directions the Original Appeal No. 68 of 2015 stands disposed of without prejudice to the rights and contentions of the parties.

This unit shall start its operation only after they get new electro-meter installed separately for that unit and also water meter is fixed.

The above terms have been agreed by all the Learned Counsel appearing in this case.

M.A. No. 682 of 2015, M.A. No. 1305 of 2015, M.A. No. 100 of 2016 & M.A. No. 178 of 2016

All these Miscellaneous Applications do not survive for consideration as the main Appeal itself stands disposed of.

Swatanter Kumar)
M.S. Nambiar)

(Dr. D.K. Agrawal)

For Alps Indicated Limited

MAL GUPTA

(County & General Manager-Legal)

General Manager-Legal)

(Prof. A.R. Yousuf)

