



# CAPLIN POINT LABORATORIES LTD.

CIN : L24231TN1990PLC019053

Regd. Off. : "NARBAVI", No.3, Lakshmanan Street, T. Nagar, Chennai - 600 017. Tamil Nadu, India. Phone : +91 44 28156653, 28156905  
Fax : +91 44 28154952 E-mail : info@caplinpoint.net Website : www.caplinpoint.net

16.10.2017

BSE Limited  
Department of Corporate Relationship  
1<sup>st</sup> Floor, New Trade Ring, Rotunda Building  
Phiroze Jeejeebhoy Towers  
Dalal Street, Mumbai- 400001  
Scrip Code : 524742

By BSE Listing

National Stock Exchange of India Ltd.,  
Department of Corporate Services  
Exchange Plaza, 5<sup>th</sup> Floor,  
C-1, Block G, Bandra Kurla Complex,  
Bandra (E), Mumbai – 400 051  
Scrip Code : CAPLIPOINT.

By NEAPS

Dear Sirs,

## SUB: STATEMENT OF INVESTOR COMPLAINTS FOR THE QUARTER ENDED SEPTEMBER 30, 2017.

Pursuant to regulation 13(3) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, please find the below statement of investor complaints for the quarter ended September 30, 2017:

| S.NO | PARTICULARS  | NOS. |
|------|--|------|
| 01   | Investor Complaints- pending at the beginning of the quarter | 1    |
| 02   | Received during the quarter                                  | 11   |
| 03   | Disposed off during the quarter                              | 10   |
| 04   | Remaining unresolved at the end of the quarter               | 2    |

Thanking You,

Yours Faithfully,  
For Caplin Point Laboratories Limited

  
Company Secretary

Unit I : No: 85/3, Suthukeny Village, Mannadipet Commune, Puducherry - 605 502. Ph.: +91 413 2674046 / 4047

Unit II : No.19, Chinnapuliur Village, Sirupuzhalpettai (Post), Gummidipoondi Taluk, Thiruvallur District. Pincode - 601 201. Ph.: +91 44 27900901

Unit III : KHASRA No.435,Village Suraj Majra, N.H. No.21,Baddi, Teh. Nalagarh, District Solan, Himachal Pradesh – 173205. Ph.: +91 1795 245512

Unit IV: Survey No.: 895 & 897, Guruvarakandigai, Sirupuzhalpettai (Post ), Gummidipoondi Taluk, Thiruvallur District, Pincode – 601 201.

Ph : +9197884 59333/69333