# JINDAL DRILLING & INDUSTRIES LTD

CORPORATE OFFICE : PLOT NO. 30, INSTITUTIONAL SECTOR-44, GURGAON-122 002 HARYANA (INDIA) TEL:+91-124-4624000, 2574326, 2574620 • FAX:+91-124-2574327, 4624215 E-mail : contacts@jindaldrilling.in Website : www.jindal.com 23<sup>rd</sup> October, 2018 CIN No: L27201MH1983PLC233813

#### Ref: JDIL/G/SEC/SE/2018-19/

### BSE LIMITED

**Corporate Relationship Department** 1<sup>ST</sup> Floor, New Trading Ring Rotunda Building, P J Towers Dalal Street, Fort, Mumbai - 400 001 Fax No. 022-22723719/2037/39

## NATIONAL STOCK EXCHANGE OF INDIA LTD.

"Exchange Plaza", C-1, Block G, Bandra-Kurla Complex, Bandra (E), Mumbai - 400 051 Fax No. 022-26598237/38/347/48

Stock Code: 511034

Scrip ID : JINDRILL

#### Sub: Notice of the Board Meeting

Dear Sir,

Notice is hereby given pursuant to Regulation 29 of the Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015, that a meeting of the Board of Directors of the Company is scheduled to be held on Thursday, 1<sup>st</sup> November, 2018 inter-alia, to consider and approve the Unaudited Financial Results of the Company for the guarter and half year ended 30<sup>th</sup> September, 2018.

Further, in pursuant to SEBI (Prohibition of Insider Trading) Regulations. 2015, the trading window for dealing in securities of the Company would be closed from 25<sup>th</sup> October, 2018 to 5<sup>th</sup> November, 2018.

Submitted for your information and record.

Thanking you,

Yours faithfully,

For JINDAL DRILLING & INDUSTRIES LTD.

2 jener-

RAJEE∜ RANJAN **Company Secretary** 





TEL: +91-22-26592889, 26592892, 26592894 • FAX: +91-22-26592630 REGD. OFFICE : PIPE NAGAR, VILLAGE- SUKELI , N.H. 17, B.K.G. ROAD , TALUKA ROHA, DISTT. RAIGAD - 402126 (MAHARASHTRA ) TEL:+91-02194-238511,238512,238567,238569 • FAX:+91-02194-238513 MEMBER : INTERNATIONAL ASSOCIATION OF DRILLING CONTRACTORS, HOUSTON, TEXAS, USA

OPERATIONS OFFICE : 3RD FLOOR, KESHAVA BUILDING, BANDRA - KURLA COMPLEX, BANDRA (EAST), MUMBAI - 400 05