

SURANA TELECOM AND POWER LTD.

(formerly Surana Telecom Ltd.)
ISO 9001 - 2008 Certified Company

5th Floor, Surya Towers, Sardar Patel Road, Secunderabad-500 003. Telangana, India

Tel:+91 40 27845119/44665700 Fax: 0091-40-27848851

Website: http://www.surana.com E.mail: surana@surana.com CIN No.: L23209TG1989PLC010336

Date: 19th December, 2018

STPL/SECT/ 660 /18-19

The Secretary	The Secretary,
National Stock Exchange of India Limited	BSE Limited
Exchange Plaza, 5 th Floor, Plot C/1,	Phiroze Jeejeebhoy Towers,
G Block, Bandra – Kurla Complex,	Dalal Street,
Bandra (E), MUMBAI – 400 023.	MUMBAI – 400 001

Dear Sir/Madam,

Sub: Credit Rating - Intimation under Regulation 30 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015.

Pursuant to the Regulation 30 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, we wish to inform that the Brickwork Ratings India Pvt Ltd, a Credit Rating Agency, has reaffirmed the rating of the reduced bank Loan Facilities to 32.24 Crores (Rupees Thirty Two Crores and Twenty Four Lakhs Only) as follows:

Facilities	Amount (Rs. Cr)	Amount (Rs. Cr)	Tenure	Rating	
	Previous	Present		Previous (31-Mar-2017)	Present Rating
Fund Based: Cash Credit Term loan by way of securitization of Solar Power receivables (O/S) LRD O/S (Lease Rental Discounted)	2.50 28.90	2.00 24.91 1.83	Long Term	s BWR BBB- [Pronounced as BWR Triple B Minus] (Outlook: Stable)	BWR BBB- [Pronounced as BWR Triple B Minus] (Outlook: Stable) Reaffirmed
Non – Fund Based: Bank Guarantee LC/ Buyers Credit	8.00 2.50	3.50	Short Term	BWR A3 [Pronounced as BWR A Three]	BWR A3 [Pronounced as BWR A Three] Reaffirmed
Total	41.90	32.24	Rupees Thirty Two Crores and Twenty Four Lakhs Only		

The aforesaid information along with letter issued by Brickwork Ratings India Pvt Ltd is also available on the Company's website i.e. www.suranatele.com.

Kindly take the same on your records.

Thanking you,

Yours faithfully,

For SURANA TELECOM AND POWER LIMITED

SRINIVAS DUDAM COMPANY SECRETARY



